

Test Report issued under the responsibility of:



**TEST REPORT
EN 60947-5-1**

**Part 5: Control circuit devices and switching elements
Electromechanical control circuit devices**

Report Number..... : 03601-A-18D0050-S-B

Date of issue : 2019-02-15

Total number of pages 23

Name of Testing Laboratory Suzhou Electrical Apparatus Science Research Institute Co., Ltd.
preparing the Report (EETI)

Applicant's name : Zhejiang Tengen Smart Electrics Co., Ltd.

Address..... : No.2777 West Zhongshan Road, Xiuzhou District, Jiaxing, Zhejiang Province

Test specification:

Standard : EN 60947-5-1: 2017

Test procedure : CCA Scheme

Non-standard test method : N/A

Test Report Form No. : EN 60947_5_1E

Test Report Form(s) Originator.... : DEKRA Certification B.V.

Master TRF : Dated 2017-10-06

Copyright © 2017 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.



This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.

General disclaimer:

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.

Test item description	Auxiliary Contacts of AC Contactor(TeC5-06,TeC5-06N,TeC5-09,TeC5-09N,TeC5-12,TeC5-12N,TeC5-16,TeC5-16N,TeC5-18,TeC5-18N)	
Trade Mark	/	
Manufacturer.....	Zhejiang Tengen Smart Electrics Co.,Ltd. No.2777 West Zhongshan Road,Xiuzhou District,Jiaxing,Zhejiang Province	
Model/Type reference	/	
Ratings	lth:10A;Ui:690V;Uimp:6kV; AC-15:Ue/Ie:AC380V/0.95A, AC220V/1.6A, DC-13:Ue/Ie:DC220V/0.15A	
Responsible Testing Laboratory (as applicable), testing procedure and testing location(s):		
<input checked="" type="checkbox"/> Testing Laboratory:	Suzhou Electrical Apparatus Science Research Institute Co., Ltd.(EETI)	
Testing location/ address	No.7 Yonghe Street, Binhe Road, New District, Suzhou, China	
Tested by (name, function, signature)	Lu Jianping (Team leader)	
Approved by (name, function, signature) ..	Zhang Jie (Supervisor)	
<input type="checkbox"/> Testing procedure: CTF Stage 1:		
Testing location/ address		
Tested by (name, function, signature)		
Approved by (name, function, signature) ..		
<input type="checkbox"/> Testing procedure: CTF Stage 2:		
Testing location/ address		
Tested by (name + signature)		
Witnessed by (name, function, signature) ..		
Approved by (name, function, signature) ..		
<input type="checkbox"/> Testing procedure: CTF Stage 3:		
<input type="checkbox"/> Testing procedure: CTF Stage 4:		
Testing location/ address		
Tested by (name, function, signature)		
Witnessed by (name, function, signature) ..		
Approved by (name, function, signature) ..		
Supervised by (name, function, signature) :		